
APPROVED: Sime Hackard DIRECTOR OF PUBLIC WORKS

COUNTY OF PLACER DEPARTMENT OF PUBLIC WORKS

STORM DRAIN MARKING

DATE: JULY, 2005 NTS PLATE U-4



ACCEPTABLE MESSAGES:

- NO DUMPING-DRAINS TO CREEK
- NO DUMPING-DRAINS TO STREAM
- ONLY RAIN DOWN THE DRAIN
- OTHER MESSAGES MAY BE USED WITH PRIOR APPROVAL OF THE DEPARTMENT OF PUBLIC WORKS.

NOTES:

- THE STORM DRAIN MESSAGE SHALL BE PERMANENTLY STAMPED INTO CONCRETE DURING CONSTRUCTION OF THE SIDEWALK. IF SIDEWALK IS NOT PLACED ADJACENT TO BACK OF CURB, THE ENGINEER WILL DETERMINE MESSAGE PLACEMENT AND METHODOLOGY.
- LETTERING HEIGHT SHALL BE $1\frac{1}{2}$ " AND STAMPING DEPTH SHALL BE APPROXIMATELY 0.25". THE MESSAGE SHALL BE CLEAR, LEGIBLE AND ACCEPTABLE TO THE ENGINEER.
- MESSAGE DIMENSIONS SHALL BE 12" X 30" MAXIMUM.
- MESSAGE SHALL BE PLACED ADJACENT AND PARALLEL TO THE LONG AXIS OF THE DRAIN.